

# PRODUCT CATALOGUE

---



**belif** *Liquids for life*

## CHEMICAL PRODUCTS FACTORY

**Belif d.o.o.**

Poslovna Zona Ciglane br.14

74264 Jelah - Tešanj

Telefon: +387 (0)32 664-427

Tel-fax: +387 (0)32 664-555

E-mail: [info@belif.ba](mailto:info@belif.ba)

[www.belif.ba](http://www.belif.ba)



Belif has been certified according to  
**ISO 9001:2015 and ISO 14001:2015**



# ABOUT US

Founded in 1996 as family company in Bosnia and Herzegovina with modest beginnings and through the years company grows and evolves in to largest automotive fluids producer in Bosnia and Herzegovina.

Now, Belif is a leading provider of premium lubricants, high-performance coolants, and advanced car care products. With a commitment to innovation, quality, and sustainability, we serve a diverse range of clients across the automotive and industrial sectors.

At Belif, we understand the critical role that lubricants play in ensuring the smooth operation and longevity of machinery and vehicles. That's why we leverage cutting-edge research and development to formulate lubricants that exceed industry standards, delivering optimal performance and protection even in the most demanding environments.


Our range of lubricants encompasses everything from engine oils and gear oils to hydraulic fluids and greases, tailored to meet the specific needs of various applications and equipment types. Whether it's high-speed precision machinery or heavy-duty industrial equipment, our lubricants are engineered to enhance efficiency, minimize wear, and extend service intervals, ultimately saving our customers time and money.

In addition to lubricants, Belif offers a comprehensive selection of premium coolants designed to optimize engine performance and reliability. Our coolant solutions are formulated with advanced additives to provide exceptional heat transfer properties, corrosion protection, and long-term stability, ensuring engines run smoothly even under extreme temperature conditions.

Furthermore, Belif takes pride in offering a complete range of car care products designed to keep vehicles looking their best inside and out. From automotive cleaners and polishes to interior protectants and detailing accessories, our products are formulated to deliver superior results while being safe for both users and the environment.

Backed by a team of experienced professionals and state-of-the-art manufacturing facilities, Belif is dedicated to exceeding customer expectations and setting the standard for excellence in lubrication, coolant, and car care solutions.

Whether you're a small workshop or a multinational corporation, you can trust Belif to deliver products that enhance performance, reliability, and sustainability across the board.









**BELLUBE**



## **BELLUBE** SUPER 10W40

Bellube Super 10W-40 is a high-quality semi-synthetic motor oil designed for lubricating cars and small delivery vehicles. It is suitable for lubricating both gasoline and diesel engines with or without catalytic converters and turbochargers. It provides exceptional lubrication power in the most challenging driving conditions and under various climate conditions.

### **Specifications:**

ACEA A3/B4, API SL/CF, VW 50500, 501.01, MB 229.1

### **Packaging:**

1L, 5L, 200L



## **BELLUBE** SUPER 15W40

Bellube Super 15W-40 is a quality motor oil designed for lubricating gasoline and diesel engines installed in passenger and smaller commercial vehicles. The oil formulation allows for effective lubrication, providing engine protection against wear and corrosion while maintaining good engine cleanliness. It falls under the category of multi-grade motor oil with a viscosity grade of SAE 15W-40, which is optimal for our climate region.

### **Specifications:**

API SF/CD

### **Packaging:**

1L, 5L, 10L, 200L



## **BELLUBE** SUPER MAX 15W40

Bellube Super Max 15W-40 is an exceptionally high-quality multi-grade motor oil designed for lubricating all types of diesel engines installed in commercial vehicles (trucks and buses), as well as engines in tractors, construction, mining, and other agricultural machinery. It is suitable for engines operating under normal and challenging conditions. This oil provides outstanding engine protection against wear and corrosion.

### **Specifications:**

API SF/SAE CF-4/SGCD

### **Packaging:**

10L, 200L



## **BELLUBE** ATF TYPE A

Mineral oil designed for lubricating automatic transmission systems, power steering systems, and torque converters in motor vehicles, agricultural, and construction machinery where a high-quality ATF Type A Suffix A level is recommended. It provides effective corrosion protection, extends the equipment's operational life, and exhibits good low-temperature properties.

### Specifications:

ATF Type A Suffix A, Allison C3

### Packaging:

1L, 5L, 10L, 200L



## **BELLUBE** GEAR OIL SAE 90

Versatile monograde mineral oil designed for lubricating transmissions and heavily loaded hypoid, spiral-bevel, worm, and other gear transmissions in motor vehicles. It is applicable in the transmissions of passenger and commercial vehicles, as well as construction, mining, and agricultural machinery where a high-quality API GL-5 level is recommended. Thanks to its excellent anti-wear and EP (extreme pressure) properties, it provides effective protection against wear under the most challenging operating conditions.

### Specifications:

API GL-5, ZF TE-ML 07A, ZF TE-ML 08

### Packaging:

1L, 5L, 10L, 200L



## **BELLUBE** CHAN OIL 100

Chain oil designed for motor saw chains and is manufactured from high-quality mineral oils and a special additive package. It is used for lubricating chains on motor saws from leading global manufacturers. The high-quality base oil and additive package provide exceptional protection against wear even under the most challenging operating conditions. The oil is characterized by outstanding adhesiveness, ensuring secure lubrication. Its good viscosity properties allow for application at very low and high temperatures.

### Specifications:

It meets the quality specification requirements of ISO 6743 - 1 L - AC, as well as the requirements of major global manufacturers such as STIHL, PARTNER - FARMER, SACS - DOLMAR, HUSQVARNA, and others.

### Packaging:

1L, 5L, 10L, 200L

## BELLUBE 2-STROKE OIL



Mineral engine oil made from the highest quality base oils and additives. It is designed for lubricating two-stroke gasoline engines and is recommended for the lubrication of mopeds, motorcycles, chainsaws, smaller agricultural machinery, generators, lawnmowers, and similar devices that use a gasoline and oil mixture. By using 2-stroke oil, continuous operation is ensured without the formation of deposits, resulting in an extended engine lifespan and economical fuel consumption. A mixture is prepared at a ratio of 2%, or in accordance with the engine manufacturer's recommendations.

### Specifications:

API TC, JASO FB/FC, ISO - L - EGD

### Packaging:

100ml, 1L

## BELLUBE SAE 30 LAWN MOWER OIL



Monograde motor oil designed for lubricating small devices with four-stroke engines. It is used for lubricating lawnmowers, tillers, compressors, generators, and similar four-stroke air-cooled gasoline engines that operate at high RPM. The oil formulation enables effective lubrication, providing engine protection against wear and corrosion.

### Specifications:

API SF/CD

### Packaging:

500ml, 1L

# INDUSTRIAL OILS

## BELLUBE SLIDE 68, 100, 150, 220, 320

Bellube SLIDE oils are high-quality lubricants designed for lubricating the slideways of machine tools. They enable smooth and precise sliding of metal surfaces, preventing the "stick-slip" effect. These oils provide good corrosion protection, high-pressure resistance, and excellent adhesion on both horizontal and vertical surfaces, ensuring effective lubrication.

APPLICATION: Lower viscosity grade SLIDE oils (68) are intended for slideways and hydraulics in combined systems. Higher grades (100, 150, 220) are designed for lubricating slideways with medium to heavy loads.

### Specifications:

CINCINNATI MILACRON P-47, CINCINNATI MILACRON P-50  
ISO 19378 GA/GB, ISO 11158 HG, ISO 6743 - 13 GA/GB

### Packaging:

10L, 200L





## **BELLUBE** HIDRO OIL 22, 32, 46, 68, 100

Bellube hydraulic oils are produced from high-quality mineral oils. The base oils and a special combination of highly effective additives ensure exceptional protection of vital elements in the hydraulic system from wear and corrosion. Bellube hydraulic oils exhibit outstanding oxidation and thermal stability, contributing to extended replacement intervals, prevention of unwanted deposits, improved cleanliness, and more efficient operation of the entire hydraulic system.

**APPLICATION:** Bellube hydraulic oils are used in stationary and mobile hydraulic systems. They have a wide range of applications in industrial hydraulic systems, as well as in construction, mining, and agricultural machinery systems. Additionally, they are suitable for lubricating precision machine tools in the metalworking industry.

### **Specifications:**

ISO 6743/4 L-HM, ISO 11158 HM, DIN 51524/2 HLP,  
DENISON HF - O / HF - 1/ HF - 2, CINCINNATI P - 68  
(HIDRO OIL HD 32), CINCINNATI P - 69 (HIDRO OIL HD 68),  
CINCINNATI P - 70 (HIDRO OIL HD 46)

### **Packaging:**

10L, 200L



## **BELLUBE** INDUSTRIAL GEAR OIL 68, 150, 220, 460

High-quality oil for lubricating industrial gearboxes. It is produced from mineral base oils and an additive package that provides good resistance to oxidation and corrosion, allowing operation under high-pressure and wear conditions. It is applied to lubricate heavily loaded gears, gearboxes, and bearings in industries such as cement plants, ironworks, paper mills, rolling mills, and others. It is also suitable for lubricating heavy-duty machinery (cranes, hoists, excavators) operating under high load conditions.

### **Specifications:**

DIN 51517/3, US STEEL 224,  
ISO 12925 - 1 CKC, ISO 6743 - 6 CKC

### **Packaging:**

10L, 200L







# ANTIFREEZE & COOLANTS

# ANTIFREEZE SUPER 100 G11



Engine coolant replacement:

**100 000 KM**  
**3 YEARS**

**Packaging:**

1L, 3L, 10L, 20L

Antifreeze super 100 G11	Water	Freezing temperature (°C)
1L	1L	-37°C
1L	1,5L	-25°C
1L	2L	-18°C

**ANTIFREEZE Super 100** is a high-quality coolant concentrate for internal combustion engine cooling systems based on monoethylene glycol and suitable corrosion inhibitors based on the OAT protective technology known as NAP free, meaning without nitrites, amines, and phosphates. This protection represents the most modern solution prescribed by all vehicle engine manufacturers. It safeguards the engine cooling system from freezing in winter and overheating in summer, providing excellent corrosion protection. Before use, it must be mixed with water to the freezing point according to the instructions and ratios given on the packaging. Replacement in the engine's radiator should be done every 3 years or 100,000 km, with top-ups as needed.

ANTIFREEZE Super 100 has the characteristic of maximum concentration of monoethylene glycol without the addition of water, ensuring guaranteed mixing with the appropriate amount of water for the freezing point listed in the table.

# ANTIFREEZE SUPER 40



Engine coolant replacement:

**100 000 KM**  
**3 YEARS**

Prevents freezing up to

**-40°C**

**Packaging:**

1L, 3L, 10L

**ANTIFREEZE Super 40** is a high-quality pre-mixed coolant with demineralized water designed for direct filling of the engine cooling system, providing freeze protection down to -40°C. It fully meets the quality characteristics of Antifreeze Super 100.



# ANTIFREEZE SUPER XL 100 G12



Engine coolant replacement:

**240 000 KM**  
**5 YEARS**

**Packaging:**

1L, 3L, 10L, 20L

Antifreeze super XL 100 G12	Water	Freezing temperature (°C)
1L	1L	-37°C
1L	1,5L	-25°C
1L	2L	-18°C

**ANTIFREEZE super 100 XL** is a concentrate of liquid for cooling internal combustion engines based on OAT (organic acid technology) protective technology. Unlike Antifreeze super 100, it contains organic corrosion inhibitors that are free of nitrites, amines, and phosphates, as well as silicates and borates. It protects the engine's cooling system from freezing in winter and overheating in summer, with excellent corrosion protection properties. Before use, it must be mixed with water to the freezing point according to the instructions and ratios provided on the packaging. Antifreeze super 100 XL G12 is a LONG LIFE antifreeze that ensures extended replacement after 5 years or 240,000 km. It is intended for the protection of cooling systems installed in VW and other vehicles that require the TL 774-D/F G12 standard markings. It is recognizable by its red color and provides better corrosion protection results for aluminum alloys. Antifreeze super 100 XL G12 has the characteristic of maximum concentration of monoethylene glycol without the addition of water, guaranteeing the freezing point indicated in the table by mixing with the appropriate amount of water.

# ANTIFREEZE G13



**Packaging:**

1L

Antifreeze G13	Water	Freezing temperature (°C)
1L	1L	-37°C
1L	1,5L	-25°C
1L	2L	-18°C

**ANTIFREEZE G13** belongs to the group of long-life antifreezes that meet modern ecological standards. It is used for cooling systems of newer-generation motor vehicles that require a high-quality level compliant with the VW specification TL774J (G13).

It protects the cooling system from freezing, overheating, and engine corrosion.



# AUTODŽAM

# AUTODŽAM -20 *winter*



Prevents  
freezing up to

**-20°C**

**Packaging:**

1L, 2L, 3L, 5L

## Windshield Washer Fluid and De-icer

Prevents freezing down to -20°C. Suitable for use in all winter weather conditions. Efficiently cleans, removes grease, dust, insects, and ice. Pleasantly scented and leaves no traces after cleaning. Does not have a harmful effect on rubber seals and other vehicle materials it comes into contact with. Improves visibility through the windshield, contributing to the driver's safety.

# AUTODŽAM -6 *summer*



Prevents  
freezing up to

**-6°C**

**Packaging:**

1L, 2L, 3L, 5L

## Windshield Washer Fluid

Prevents freezing down to -6°C. Efficiently cleans, removes grease, dust, and insects. Pleasantly scented and leaves no traces after cleaning. Does not have a harmful effect on rubber seals and other vehicle materials it comes into contact with. Improves visibility through the windshield, contributing to the driver's safety.

# AUTODŽAM *extreme*



Prevents  
freezing up to

**-40°C**

Freezing temperature (°C)	Autojam Extreme -40	Water
-40°C	100%	0%
-27°C	67%	33%
-19°C	50%	50%

**Packaging:**

1L, 5L

## Windshield Washer Fluid and De-icer

Undiluted, prevents freezing down to -40°C. Suitable for use in all winter weather conditions. Efficiently cleans, removes grease, dust, insects, and ice. Pleasantly scented and leaves no traces after cleaning. Does not have a harmful effect on rubber seals and other vehicle materials it comes into contact with. Improves visibility through the windshield, contributing to the driver's safety.



**BELPRO**

Engine cleaner

ZA PRANJE MOTO

**BELPRO**

Upholstery cleaner

ČISTAČ TAPACIRI

**BELPRO**

Tire shine & protection

SJAJ I ZAŠTITA GUMA





***BELPRO***



## **BELPRO** *Upholstery cleaner*

---

A cleaner for upholstery and textiles in vehicles. Thoroughly cleans seats, covers, floors, doors, and headliners. Efficiently removes grease and tackles stubborn stains. Leaves a pleasant fragrance.

**Packaging:**

500ml



## **BELPRO** *Wheel cleaner*

---

Designed for cleaning aluminum and steel wheels without harmful effects on tires and rims. Efficiently removes oil deposits, brake dust, and metal residues accumulated on the wheels. Restores shine to cleaned surfaces.

**Packaging:**

500ml



## **BELPRO** *Tire shine and protection*

---

Ensures long-lasting protection and provides a "wet" look to tires. Treated surfaces receive an intense shine, regular use increases elasticity, prevents cracking, and extends the lifespan.

**Packaging:**

500ml



## **BELPRO** *Insect remover*

---

Quickly and easily cleans glass, painted, plastic, and chrome surfaces of vehicles from insect residues. Without stains and scratches, active ingredients enable the swift removal of dried insect remnants from surfaces.

**Packaging:**

500ml



## **BELPRO** *Engine cleaner*

---

A cold engine wash solution for all engine components. Effectively cleans and removes dust and grease deposits from plastic, metal, and rubber parts of the engine.

**Packaging:**

500ml



## **BELPRO** *Cockpit care spray*

---

An antistatic solution with a pleasant scent for protecting plastic and leather parts of the car's interior. Maximum UV protection extends the lifespan of the car's interior.

**Packaging:**

500ml



## **BELPRO** *Rain off*

---

BELPRO RAIN OFF is a rain repellent for windshields. Consists nano-particles which creates an invisible protective coating that repels water from the surface of car windows, improving visibility in all weather conditions such as rain, sleet, or snow. This coating makes it easier to remove ice, salt, dirt, and insects from the front and rear windows, as well as side windows and headlights. Do not use the product on paint, plastic, or polycarbonate surfaces.

**Packaging:**

500ml



## **BELPRO** *Leather cleaning and maintenance*

---

BELPRO Leather Cleaning and Maintenance is a product designed for cleaning and maintaining leather interiors inside vehicles. It softens and nourishes treated surfaces, restores elasticity, and eliminates cracks. It has antistatic properties that protect against dust and create a waterproof layer. The product is color-free, making it suitable for leather surfaces of all colors.

**Packaging:**

250ml



## **BELPRO** *Glass cleaner spray*

---

An antistatic solution designed for cleaning all glass surfaces in vehicles. Effectively removes exterior glass contaminants such as road residues, dust, insects, and grease, while tackling interior glass stains from grease and nicotine. Pleasantly scented and leaves no traces after wiping.

**Packaging:**

500ml



## **BELPRO** *De-icer*

---

A solution for quick and easy defrosting of glass surfaces in vehicles. Effectively dissolves ice from the windshield, wipers, and headlights.

**Packaging:**

500ml



## **BELPRO** *Belifton*

---

Provides long-lasting protection and gives a wet look to tires. Treated surfaces acquire an intense shine; regular use enhances elasticity, prevents cracking, and extends the lifespan. Used for protecting tires, seals, and other rubber surfaces.

**Packaging:**

1L, 5L, 10L



## **BELPRO** *Car shampoo*

---

A shampoo for handwashing cars with a highly concentrated formula that efficiently and quickly cleans all types of dirt from vehicles. It ensures economical consumption, is biodegradable, and environmentally friendly. Applicable to all types of paints, glass, plastic, metal, and rubber surfaces.

**Packaging:**

1L, 10L



## **BELPRO** *Beliflux*

---

A degreasing agent for engine parts, agricultural and industrial machinery, and workshop applications. It is designed for cleaning dirty and greasy components that require effective cleaning. Enriched with emulsifiers, it enables quick and efficient cold cleaning of engines and machinery.

**Packaging:**

1L, 5L





## **BELPRO** *Autofresh spray*

Designed to refresh the interior of vehicles and other enclosed spaces. Simultaneously neutralizes unpleasant odors and leaves a pleasant, long-lasting vanilla fragrance.

**Packaging:**

100ml



## **BELPRO** *Glycerin plus*

A solution for protection against ice formation on weatherstrips (sealing rubber on doors). Protects against mechanical damage and maintains elasticity, thereby extending the lifespan. The practical packaging with a sprayer allows for easier application and handling.

**Packaging:**

100ml



## **BELPRO** *De-icer for locks*

A fast-acting solution for quickly thawing car locks and handles, as well as exterior doors of houses and yards. It lubricates and protects against corrosion.

**Packaging:**

50ml



## **BELPRO** *Cargo 3000*

Highly concentrated alkaline solution designed for contactless cleaning of cargo vehicles and all types of tarps made of PVC, PE, or other coated fabrics. The rich creamy foam instantly acts on the surface, effectively removing the toughest dirt, such as bird droppings, mold, and other types of organic impurities, soot, and oil. Ideal for use in automatic facilities and for application using a foam gun.

**Packaging:**

10kg



## **BELPRO** *Active foam*

Highly concentrated single-component alkaline solution designed for contactless vehicle cleaning. The rich creamy foam acts on the surface, effectively removing the toughest dirt, and leaves the surface shiny. Ideal for use in automatic facilities and for application using a foam gun.

Packaging options include 5kg and 10kg.

**Packaging options include**

5kg and 10kg

**PRIVATE LABEL**



***OUR EXPERIENCE  
AND YOUR STORY***

**Belif d.o.o.** is currently the largest antifreeze producer in Bosnia and Herzegovina and windshield washer fluids, also holds the leadership in the region position in the production of engine oils, pool water treatment agents and industrial oils. BELIF provides the possibility of the process of creating a private label brand. Thanks to many years of work and the experience, we have gained trust large number of clients and and fulfill their expectations for creating a private brand.

Large production capacity and on-site laboratory allows us to provide wide range to our customers as well as support from the technical, sales and marketing team that are in process involved from start to finish.

For more information and for a special catalog of "private labels", send an inquiry to **info@belif.ba**





[www.belif.ba](http://www.belif.ba)